

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830 Revision date:15/9/2022Version:7.1Language:en-GB,IEDate of print:12/10/2022

Page:

#### PULVERLACK CEWEPOL 17 Material number 17

1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name:

PULVERLACK CEWEPOL 17

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Coating agent, Industrial use

#### **1.3 Details of the supplier of the safety data sheet**

Company name:	CWS Powder Coatings GmbH	
Street/POB-No.:	Katharinenstr. 61	
Postal Code, city:	52353 Düren	
WWW:	www.cws-powder.de	
Telephone:	+49 (0)2421 - 983-0	
Telefax:	+49 (0)2421 - 983-119	
Department responsible for information:		
	Frau Breuer, Telephone: +49 (0)2421-983 284, E-mail: m.breuer@cws.de	

#### 1.4 Emergency telephone number

GIZ-Nord, Göttingen, Germany, Telephone: +49 551-19240

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

#### 2.2 Label elements

#### Labelling (CLP)

Hazard statements:	not applicable

Precautionary statements: not applicable

#### Special labelling

EUH210 EUH212 Safety data sheet available on request. Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

#### 2.3 Other hazards

The product can cause irritation or injury as a result of the mechanical effect. Explosive dust-air mixtures may form.

Results of PBT and vPvB assessment:

No data available

### **SECTION 3: Composition/information on ingredients**

3.1 Substances: not applicable

#### 3.2 Mixtures

Chemical characterisation: Powder coating, binder base: polyester or epoxy resin



### SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Page:

### PULVERLACK CEWEPOL 17

Material number 17

2 of 8

Additional information:

Contains Barium sulfate, Titanium dioxide and Silicon dioxide: The maximum workplace exposure limits are, where necessary, listed in section 8. Information about Titanium dioxide:

Contains less than 1 % titanium dioxide particles with aerodynamic diameter <= 10  $\mu$ m.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

In case of inhalation:	Provide fresh air. Remove victim out of the danger area. If the casualty has difficulty breathing, call a doctor immediately.	
Following skin contact:	Remove residues with soap and water. Change contaminated clothing. Follow up by applying protective skin cream. Do not use solvents or thinners. In case of skin reactions, consult a physician.	
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an opthalmologist.	
After swallowing:	Rinse mouth thoroughly with water. Do not induce vomiting. Keep victim calm. Immediately get medical attention.	
4.2 Most important symptoms and effects, both acute and delayed		
	In case of inhalation: May cause irritations. After contact with skin:	

Coating powders may cause local skin irritations, particularly in skin folds or when wearing tight-fitting clothes. After eye contact: May cause irritations.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, extinguishing powder, foam, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

#### 5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.. In case of fire may be liberated: Smoke, nitrogen oxides (NOx), carbon monoxide and carbon dioxide.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained breathing apparatus. Wear suitable protective clothing.

#### Additional information: Hazchem-Code: -

Cool endangered containers with water jetspray.

Do not allow fire water to penetrate into surface or ground water.



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830 Revision date:15/9/2022Version:7.1Language:en-GB,IEDate of print:12/10/2022

Page:

### PULVERLACK CEWEPOL 17

Material number 17

3 of 8

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Do not breathe dust. Provide adequate ventilation.

#### 6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

#### 6.3 Methods and material for containment and cleaning up

Avoid generation of dust. Knock down dust with water spray jet. Take up mechanically, placing in appropriate containers for disposal.

Additional information: In case of dust formation: Remove all sources of ignition. (Danger of dust explosion.) Knock down dust with water spray jet.

#### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.

Avoid generation of dust. Do not breathe dust.

Precautions against fire and explosion:

Keep away from sources of ignition - No smoking. Danger of dust explosion. Take precautionary measures against static discharges. Ground/bond container and receiving equipment.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Electrical equipment must be explosion protected according to standards. Store container tightly closed in a dry and cool place. Protect against heat /sun rays. Protect from frost.

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

#### 7.3 Specific end use(s)

No information available.



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Page:

#### PULVERLACK CEWEPOL 17 Material number 17

4 of 8

### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

CAS No.	Designation	Туре	Limit value
	PULVERLACK CEWEPOL 17	Great Britain: WEL-TWA	10 mg/m³ (Dust limit value, inhalable fraction)
		Great Britain: WEL-TWA	4 mg/m³ (Dust limit value, respirable fraction)
		Ireland: 8 hours	10 mg/m³ (Dust limit value, inhalable fraction)
		Ireland: 8 hours	4 mg/m <sup>3</sup> (Dust limit value, respirable fraction)
7727-43-7	Barium sulfate	Great Britain: WEL-TWA Great Britain: WEL-TWA Ireland: 8 hours	10 mg/m <sup>3</sup> (inhalable fraction) 4 mg/m <sup>3</sup> (respirable fraction) 5 mg/m <sup>3</sup>
1333-86-4	Carbon	Great Britain: WEL-STEL Great Britain: WEL-TWA Ireland: 8 hours	7 mg/m³ 3.5 mg/m³ 3 mg/m³ (inhalable fraction)
13463- 67-7	Titanium dioxide	Great Britain: WEL-TWA	10 mg/m <sup>3</sup> (inhalable fraction)
		Great Britain: WEL-TWA Ireland: 8 hours Ireland: 8 hours	4 mg/m <sup>3</sup> (respirable fraction) 10 mg/m <sup>3</sup> (inhalable fraction) 4 mg/m <sup>3</sup> (respirable fraction)

#### 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

#### Personal protection equipment

#### **Occupational exposure controls**

Respiratory protection:Respiratory protection is required for not sufficiently ventilated working places and during the spraying processing. In case of dust formation: Dust mask/Particulates filter P2 according to EN 143.Hand protection:Protective gloves according to EN 374. Glove material: Nitrile rubber. Breakthrough time: > 480 min. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.Eye protection:Tightly sealed goggles according to EN 166.Body protection:Wear suitable protective clothing.General protection and hysier measures: Change contaminated clothing. Avoid contact with skin and eyes. Wash hands before breaks and after work. When using do not eat, drink or smoke.		
Hand protection:Protective gloves according to EN 374. Glove material: Nitrile rubber. Breakthrough time: > 480 min. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.Eye protection:Tightly sealed goggles according to EN 166.Body protection:Wear suitable protective clothing.General protection and hyjene measures: Change contaminated clothing. Avoid contact with skin and eyes. Wash hands before breaks and after work.	Respiratory protection:	the spraying processing.
Body protection: Wear suitable protective clothing.   General protection and hygiene measures: Change contaminated clothing. Avoid contact with skin and eyes.   Wash hands before breaks and after work.	Hand protection:	Protective gloves according to EN 374. Glove material: Nitrile rubber. Breakthrough time: > 480 min. Observe glove manufacturer's instructions concerning penetrability and breakthrough
General protection and hygiene measures: Change contaminated clothing. Avoid contact with skin and eyes. Wash hands before breaks and after work.	Eye protection:	Tightly sealed goggles according to EN 166.
Change contaminated clothing. Avoid contact with skin and eyes. Wash hands before breaks and after work.	Body protection:	Wear suitable protective clothing.
	General protection and hy	Change contaminated clothing. Avoid contact with skin and eyes. Wash hands before breaks and after work.

#### **Environmental exposure controls**

Refer to "6.2 Environmental precautions".



### SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date:15/9/2022Version:7.1Language:en-GB,IEDate of print:12/10/2022

Page:

### PULVERLACK CEWEPOL 17

Material number 17

5 of 8

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance:	Physical state at 20 °C and 101.3 kPa: solid Form: Powder Colour: Product-specific
Odour:	Odourless
Odour threshold:	No data available
pH:	Not applicable
Melting point/freezing point:	> 50 °C (Kofler)
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	Not applicable
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	LEL (Lower Explosion Limit):
	(bridging principle) 60 g/m³ (EN 14034-3:2006+A1:2011)
Vapour pressure:	No data available
Vapour density:	No data available
Density:	at 23 °C: 1.20 - 1.80 g/cm³ (DIN EN ISO 8130-2)
Solubility:	No data available
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	Not self-igniting.
Decomposition temperature:	No data available
Viscosity, kinematic:	No data available
Explosive properties:	Product is not explosive. Dust may form explosive mixtures with air.
Oxidizing characteristics:	No data available

#### 9.2 Other information

Ignition temperature: Bulk density: Solid content: Additional information: dust/air mixture: 450 - 600 °C (EN 50281-2-1) at 23 °C: 400 - 1000 kg/m<sup>3</sup> 100 % Minimum ignition energy: 5-20 mJ

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Explosive dust-air mixtures may form.

#### **10.2 Chemical stability**

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4 Conditions to avoid

Keep away from heat.

#### 10.5 Incompatible materials

Strong oxidizing agents.



### SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date:15/9/2022Version:7.1Language:en-GB,IEDate of print:12/10/2022

Page:

### PULVERLACK CEWEPOL 17

Material number 17

6 of 8

#### **10.6 Hazardous decomposition products**

No decomposition when used properly. decomposition: No data available

### Thermal decomposition: No data availa

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Toxicological effects:	Acute toxicity (oral): Lack of data.
	Acute toxicity (dermal): Lack of data.
	Acute toxicity (inhalative): Lack of data.
	Skin corrosion/irritation: Lack of data.
	Serious eye damage/irritation: Lack of data.
	Sensitisation to the respiratory tract: Lack of data.
	Skin sensitisation: Lack of data.
	Germ cell mutagenicity/Genotoxicity: Lack of data.
	Carcinogenicity: Lack of data.
	Reproductive toxicity: Lack of data.
	Effects on or via lactation: Lack of data.
	Specific target organ toxicity (single exposure): Lack of data.
	Specific target organ toxicity (repeated exposure): Lack of data.
	Aspiration hazard: Lack of data.
Other information:	Misuse may cause damage to health and environment.
Symptoms	
	In case of inhalation: May cause irritations

In case of inhalation: May cause irritations. After contact with skin: Coating powders may cause local skin irritations, particularly in skin folds or when wearing tight-fitting clothes. After eye contact: May cause irritations.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Further details: No data available

#### 12.2 Persistence and degradability

Further details: No data available

#### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

No data available

#### 12.6 Other adverse effects

General information: Do not allow to penetrate into soil, waterbodies or drains.

printed by CWS



Page:

### PULVERLACK CEWEPOL 17

Material number 17

7 of 8

### **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods**

#### Product

Recommendation: With due observance of the regulations laid down by the local authorities, this must be brought to a suitable incineration plant/waste disposal site.

#### Package

Recommendation:

Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

#### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

#### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

#### 14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

#### 14.5 Environmental hazards

Marine pollutant: NO

#### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Great Britain

Hazchem-Code:

No data available

#### National regulations - EC member states

Further regulations, limitations and legal requirements: No data available

#### **15.2 Chemical Safety Assessment**

For this mixture a chemical safety assessment is not required.



Page:

#### PULVERLACK CEWEPOL 17 Material number 17

8 of 8

### **SECTION 16: Other information**

#### **Further information** Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road AS/NZS: Australian Standards/New Zealand Standards CAS: Chemical Abstracts Service CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EN: European Standard EQ: Excepted quantities EU: European Union IATA: International Air Transport Association IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying **Dangerous Chemicals in Bulk** IMDG Code: International Maritime Dangerous Goods Code LEL: Lower Explosion Limit MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

Reason of change:Changes in section 10.6: General revisionDate of first version:25/9/2015

#### Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

